

LINEBACKER®

CABLE MANAGEMENT

PROTECTOR BRIDGE

PRODUCT INFORMATION BROCHURE





PICTURED: CL2X150-GD IN USE (LEFT)
CL2X150-4/5 IN USE (TOP)

Checkers' Linebacker Cable Management offers the most extensive line of high performance cable/hose protection products in the world. These durable cable protection systems provide a safer method of passage for pedestrian traffic, vehicles and heavy duty equipment while protecting valuable electrical cables, cords and hose lines from damage.

To fit the needs of a wide variety of applications, we offer lidded models, drop over models, open top models, and low profile models constructed from all-weather polyurethane. We also offer rubber duct models for light applications.


- **World's largest cable protector manufacturer**
- **Linebacker cable management systems are manufactured in the USA in Broomfield, CO**
- **We offer extensive accessories, such as ADA/DDA compliant access ramps, protector bridges, 45 & 90 turns and end caps**
- **Polyurethane construction is lighter and more durable than rubber imitations in extreme weather conditions**
- **Universal safety colors alerting all type of traffic to the product's presence**
- **Satisfies state and federal regulatory agencies**
- **Customized solutions, including logos molded into the product**
- **Multiple channel options so each cable and hose can have its own dedicated channel**
- **Non-conductive material insulates and protects cords/cable, as well as people**

2-CHANNEL CABLE BRIDGES provide additional cable channels while creating a continuous, level, crossing surface for vehicle and pedestrian traffic. These modular accessories allow users to create any number of runs simultaneously by utilizing the space between multiple parallel cable protector runs.

Material: UV Stabilized Polyurethane

- Protects cables and hoses up to 1.5" outside diameter
- Still allows access to cables and cords
- One person installation - no tools required
- All-weather polyurethane construction
- Patented 5-bar tread surface for maximum traction
- Modular interlocking design makes setting up, dismantling and storing the product simple and straightforward
- Features a load capacity of 40,300 lb./Axle (18,280 kg)

WARNING: This product can expose you to chemicals including Carbon Black, Titanium Dioxide, Formaldehyde, and Benzyl Butyl Phthalate, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.




MODEL: CL2X150-4/5

APPLICATIONS

- Civil Engineering and Construction
- Mining
- Entertainment
- Infrastructure and Utilities Maintenance
- Events
- Oil and Gas

SPECIFICATIONS



Model	Length	Width	Height	Channel Width	Maximum Outside Diameter	Weight
CL2X150-4/5	36 in. (91.44 cm)	14 in. (35.56 cm)	2.125 in. (5.3 cm)	3 in. (7.62 cm)	3 in. (7.62 cm)	18 lb. (8.2 kg)
CL2X150-GP	36 in. (91.44 cm)	12.5 (21.6 cm)	1.875 in. (4.76 cm)	1.5 in. (3.81 cm)	1.5 in. (3.81 cm)	14 lb. (6.4 kg)



LINEBACKER®

620 Compton St
Broomfield, CO 80020

PHONE: (800) 438-9336

FAX: (720) 890-4858

EMAIL: sales@checkers-safety.com

www.linebacker-safety.com

Checkers Safety Group is committed to providing revolutionary product designs and visionary safety solutions that protect people, assets, and the environment.



For more information visit: www.checkers-safety.com

CHECKERS' FAMILY OF BRANDS:

